



Application
Number

SEARCH

IDS Flag Clearance for Application 10606314

IDS
Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	06-23-2003	9	<input checked="" type="checkbox"/>	05-11-2004 21:46:28 rtalbert
M844	07-29-2003	11	<input checked="" type="checkbox"/>	05-11-2004 21:46:54 rtalbert
M844	05-05-2004	16	<input checked="" type="checkbox"/>	08-12-2004 13:07:40 dscott

UPDATE

10/606,314

INTERFERENCE SEARCH HISTORY PRINTOUT.

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	(hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) and (black light)).ccls.	US-PGPUB	2005/12/30 15:04
2	BRS	L2	0	(hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) with (black light)).ccls.	US-PGPUB	2005/12/30 15:04

	Type	Hits	Search Text	DBs
1	BRS	6946	362/103-106,84,184,190,191,800,806,276,234,237,252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	597469	hat or headwear or cap or helmet or (hard near head)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1223	362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	70	362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near head)) and visor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	3637	(hat or headwear or cap or helmet or (hard near head)) and bill	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	5059	(hat or headwear or cap or helmet or (hard near head)) and visor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	8299	((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	3053	(((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (light or (light near source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	893	(((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (illumin\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	3099	((((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (light or (light near source))) or (((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (illumin\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	28	(((((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (light or (light near source))) or (((hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (illumin\$6))) and (black near light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	31	362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near head)) and bill	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	40	("1255265" "2638532" "2904670" "3032647" "3040881" "3060308" "3123208" "3184058" "3350552" "4005776" "4283127" "4669610" "4959760" "D316932" "5060814" "5218385" "5230558" "5249675" "D349123" "5331357" "5404593" "5423419" "5485358" "5510961" "5541767" "5667292" "5722762" "5730290" "5741060" "5836673" "D407187" "5946071" "5997165" "6012827" "6032293" "D428431" "6168286" "6206543" "6345716" "6382407").PN.	USPAT
14	BRS	0	"6659618".URPN.	USPAT
15	BRS	0	"6659618".URPN.	USPAT

16	BRS	55	362/103-106.ccls. and 362/84.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	----	------------------------------------	--

	Type	Hits	Search Text	DBs
17	BRS	2747	photoluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	150	photoluminescent and chemiluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	20	photoluminescent and chemiluminescent and electroluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	6320	((hat or headwear or cap or helmet or (hard near head)) and (bill or brim))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	10655	((hat or headwear or cap or helmet or (hard near head)) and (bill or brim or visor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	6208	((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1767	(((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	24	(((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and (black near4 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	2	(((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and chemiluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	(((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and 362/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	7143	362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	1267	((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	68	((hat or headwear or cap or helmet or (hard near head)) and 362/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	11	((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (black adj light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	105	((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and ((black adj light) or Phosphor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and ((black adj light) with Phosphor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	5	((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and ((black adj light) with fluoresc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	228	((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (phosphorescent or fluorescent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	8	((((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (phosphorescent or fluorescent) and (black adj light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
36	BRS	227	((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (phosphorescent or fluorescent) and light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	5171	(black adj light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	45	362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls. and ((black adj light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	439	(hat or headwear or cap or helmet or (hard near head)) and ((black adj light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	12	((hat or headwear or cap or helmet or (hard near head)) and (bill or brim)) and ((black adj light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	135129	light near emit\$5 near diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	460621	(light near emit\$5 near diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	2187	((light near emit\$5 near diod\$4) or "LED") with black	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	126	((light near emit\$5 near diod\$4) or "LED") with (black near light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	((((light near emit\$5 near diod\$4) or "LED") with (black near light)) and ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	5	((((light near emit\$5 near diod\$4) or "LED") with (black near light)) and (hat or headwear or cap or helmet or (hard near head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	1	"386509".ap.	US-PGPUB
48	BRS	26676	"362"/ "30,551,554,556,555""."558,570".ccls.	US-PGPUB
49	BRS	6764	("362"/ "30,551,554,556,555""."558,570".ccls.) and (hat or headwear or cap or helmet or (hard near head))	US-PGPUB
50	BRS	112	("362"/ "30,551,554,556,555""."558,570".ccls.) and ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim))	US-PGPUB
51	BRS	29123	(light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)	US-PGPUB
52	BRS	3493	((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head))	US-PGPUB
53	BRS	94	((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and ((hat or headwear or cap or helmet or (hard near head)) and (bill or brim))	US-PGPUB
54	IS&R	1	("5570946").PN.	USPAT; USOCR
55	IS&R	2	("6733150").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	8	("1187672" "5357409" "5485358" "5510961" "5667292" "5758947" "6044495" "6390640").PN.	USPAT
57	IS&R	1	("5510961").PN.	USPAT; USOCR
58	BRS	7	("D266712" "D318338" "3749902" "4231079" "4525878" "4901211" "4999747").PN.	USPAT

	Type	Hits	Search Text	DBs
59	IS&R	2	("5809678").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	3	("2624141" "4814949" "5557869").PN.	USPAT
61	BRS	3	"5809678".URPN.	USPAT
62	BRS	597470	(hat or headwear or cap or helmet or (hard near head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	820	((hat or headwear or cap or helmet or (hard near head))) with (bill or brill)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	((hat or headwear or cap or helmet or (hard near head))) with ((bill or brill) same chemiluminescent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	1	((((hat or headwear or cap or helmet or (hard near head))) with (bill or brill)) and chemiluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	4586	((hat or headwear or cap or helmet or (hard near head))) with (bill or brill or visor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	2	((((hat or headwear or cap or helmet or (hard near head))) with (bill or brill or visor)) and chemiluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	2985	(headwear or cap) and chemiluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	42	(headwear or cap) with chemiluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	IS&R	1	("5921674").PN.	USPAT; USOCR
71	BRS	25	("4231079" "4319308" "4559586" "4570206" "4760373" "4769629" "4875144" "4945458" "5040099" "5111366" "5184253" "5207500" "5329637" "5357361" "5357409" "5404593" "5416675" "5485358" "5510961" "5544027" "5559680" "5570946" "5680718" "5704707" "5722192").PN.	USPAT
72	BRS	7	"5921674".URPN.	USPAT
73	BRS	3493	((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head))	US-PGPUB
74	BRS	2989	((((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head))) and light	US-PGPUB
75	BRS	9	((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and ((cap or headwear or hat) with (Bill or brill))	US-PGPUB
76	IS&R	1	("6113244").PN.	USPAT; USOCR
77	BRS	13	("4186429" "4231079" "4761720" "4891736" "4998186" "5327588" "5357409" "5416675" "5508900" "5544027" "5559680" "5588736" "5758947").PN.	USPAT
78	BRS	2	("4521831" "5283911").PN.	USPAT
79	BRS	11	"5588736".URPN.	USPAT
80	BRS	13	("4186429" "5111366" "5128844" "5147129" "5327587" "5404593" "5426792" "5559680" "5570946" "5588736" "5608919" "5743621" "5758947").PN.	USPAT
81	BRS	2	"5931559".URPN.	USPAT
82	BRS	11	"5588736".URPN.	USPAT

	Type	Hits	Search Text	DBs
83	IS&R	1	("5323492").PN.	USPAT; USOCR
84	BRS	2	("4061910" "5177812").PN.	USPAT
85	BRS	10378	(light near transmi\$6 near tub\$5) or (light near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	2381	((light near transmi\$6 near tub\$5) or (light near pipe)) with (light near source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	535	((light near transmi\$6 near tub\$5) or (light near pipe)) with flexible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	75	((light near transmi\$6 near tub\$5) or (light near pipe)) with flexible) with (light near source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	"1356047".URPN.	USPAT
90	BRS	690	flexible with (light near (tube or pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	390	flexible with (light near (tube or pipe)) and (light near source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	70	(flexible with (light near (tube or pipe)) and (light near source)) and (cap or hat or headwear)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	80	(tubular or hollow) near (optic near (fiber or fibre))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	57666	flexible near (tube or pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	253	(flexible near (tube or pipe)) same (light near transmi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	5661	(flexible near (tube or pipe)) with ((light near transmi\$6) near portion or part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	284	(flexible near (tube or pipe)) with ((light near transmi\$6) near portion or part) and (light near source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	10	("1595023" "1707473" "2246836" "3275815" "3281586" "4513692" "4860179" "5126922" "5463535" "5463536").PN.	USPAT
99	BRS	5	("2642519" "3707055" "3964441" "4208701" "4369486").PN.	USPAT
100	BRS	19	"4513692".URPN.	USPAT
101	BRS	820	((hat or headwear or cap or helmet or (hard near head))) with (bill or brill)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	0	(cap or hat or headwear) same ((bill or brill) with (light near (pipe or tube)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	0	(cap or hat or headwear) and ((bill or brill) with (light near (pipe or tube)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	1	(cap or hat or headwear) and ((bill or brill) same (light near (pipe or tube)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	5	((cap or hat or headwear) with (bill or brill)) and (light near (pipe or tube))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	6	("1016730" "1744777" "2788439" "4991068" "5485358" "5567038").PN.	USPAT
107	BRS	6	"5676449".URPN.	USPAT
108	IS&R	1	("6499145").PN.	USPAT; USOCR
109	BRS	6	("4211813" "5111366" "5177812" "5323492" "5570946" "5904017").PN.	USPAT
110	BRS	1	"6499145".URPN.	USPAT
111	BRS	461	2/195	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

112	BRS	710	2/195.1,195.2,209.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	-----	----------------------------	--

	Type	Hits	Search Text	DBs
113	BRS	112	2/195.1,195.2,209.12.ccls. and (light\$4 or illumin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	10146	((hollow or tube) with (light near4 (transmit\$6 or conduct\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	6674	((hollow or tube) with (fib\$4 near optic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	15957	((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	788	(((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same (slit or (axial split))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	1473	(((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	0	(((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and "362"/\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	0	(((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and "40"/\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	0	(((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and "385"/\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	1266	(((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and (light or (light near source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	101	((((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic)))) same ((slit or (axial or longitudinal) split))) and (light or (light near source))) and wrap\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	BRS	0	"20040076387".URPN.	USPAT
125	BRS	370	385/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	IS&R	1	("6499145").PN.	USPAT; USOCR
127	IS&R	1	("6113244").PN.	USPAT; USOCR
128	BRS	13	("4186429" "4231079" "4761720" "4891736" "4998186" "5327588" "5357409" "5416675" "5508900" "5544027" "5559680" "5588736" "5758947").PN.	USPAT
129	BRS	1	"6113244".URPN.	USPAT
130	BRS	937	((headwear or cap or hat) and ((hollow or tube) with (fib\$4 near optic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	140	((headwear or cap or hat) same ((hollow or tube) with (fib\$4 near optic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
132	BRS	2	((headwear or hat) same ((hollow or tube) with (fib\$4 near optic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
133	BRS	113706	(fib\$4 near optic) or (light near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	1565	((headwear or cap or hat) same ((fib\$4 near optic) or (light near pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
135	BRS	56	(headwear or ((cap with (bill or brill) or hat))) same ((fib\$4 near optic) or (light near pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
136	IS&R	1	("5404593").PN.	USPAT; USOCR
137	BRS	5	("3675005" "4667274" "5053929" "5111366" "5147129").PN.	USPAT
138	BRS	10	"5404593".URPN.	USPAT
139	BRS	16	("1146979" "4525878" "4551857" "4901211" "4991068" "5088127" "5404593" "5510961" "5541816" "5680718" "5741060" "5743621" "6032291" "6032293" "6168286" "6244721").PN.	USPAT
140	BRS	0	"6721962".URPN.	USPAT
141	BRS	0	"6721962".URPN.	USPAT
142	IS&R	1	("6416198").PN.	USPAT; USOCR
143	BRS	0	362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near head)) and bill	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
144	BRS	0	362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near hat)) and bill	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
145	BRS	0	362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near hat)) and (bill or brill)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
146	BRS	559	((bill or brill) with flexi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
147	BRS	1202	(bill or brill) with (light or illumin\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
148	BRS	81	((bill or brill) with (light or illumin\$6)) and (headwear or cap or hat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
149	BRS	230	((bill or brill) with (light or illumin\$6)) and flex\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	194	((((bill or brill) with (light or illumin\$6)) and flex\$6) not (((bill or brill) with (light or illumin\$6)) and (headwear or cap or hat))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
151	BRS	1562	(bill or brill) and (light or illumin\$6) and (cap or headwear or hat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	7	(flex\$5 near (bill or brill)) and (light or illumin\$6) and (cap or headwear or hat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
153	BRS	31	362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near hat)) and (brill or bill)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
154	BRS	640	(bill or brill) and (light or illumin\$6) and (cap or headwear or hat) and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
155	BRS	330	(bill or brill) and (light or illumin\$6) and (cap or headwear or hat) and switch and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
156	BRS	249	(bill or brill) and (light or illumin\$6) and (cap or headwear or hat) and switch and controller and adjust\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
157	BRS	241	(bill or brill) and (light or illumin\$6) and (cap or headwear or hat) and switch and controller and adjust\$6 and indic\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	239	(bill or brill) with (cap or headwear or hat) and (light or illumin\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
159	BRS	239	((bill or brill) with (cap or headwear or hat)) and (light or illumin\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	57	(headwear or cap or hat) same ((bill or brim) with (transparent or (light near transmis\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
161	BRS	4	(headwear or cap or hat) same (((bill or brim) with (transparent or (light near transmis\$6))) with indicia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
162	BRS	4	(headwear or cap or hat) and (((bill or brim) with (transparent or (light near transmis\$6))) with indicia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
163	BRS	6	("5778448" "5862522" "5908146" "5991927" "6315175" "6510972").PN.	USPAT
164	BRS	0	"6755329".URPN.	USPAT
165	BRS	8	(headwear or cap or hat) and (((bill or brim) with (transparent or (light near transmis\$6))) with light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
166	BRS	180	(headwear or cap or hat) and ((bill or brim) with light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
167	BRS	2	(headwear or cap or hat) and ((bill or brim) same light same indicia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
168	BRS	307	(headwear or cap or hat) and ((bill or brim) same light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
169	BRS	16	(headwear or cap or hat) and ((bill or brim) same light) and indicia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
170	BRS	48	(headwear or cap or hat) and (illuminat\$4 with (bill or brim))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
171	BRS	2	Marston-jez.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
172	BRS	0	(cap or headwear or hat) and ((flexible with (brim or bill)) with switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
173	BRS	19	(cap or headwear or hat) and ((flexible same (brim or bill)) same switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
174	IS&R	1	("6733150").PN.	USPAT; USOCR
175	BRS	5	Hat or headwear or hat) same (((pivot\$4 with (brim or bill)) with light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
176	BRS	8	("1187672" "5357409" "5485358" "5510961" "5667292" "5758947" "6044495" "6390640").PN.	USPAT
177	BRS	0	"6733150".URPN.	USPAT
178	BRS	0	"6733150".URPN.	USPAT
179	BRS	49	Hat or headwear or hat) same ((pivot\$4 with (brim or bill))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
180	BRS	9	("D229525" "D258323" "1163054" "1581750" "1624727" "1704576" "2735109" "2749555" "3869727").PN.	USPAT
181	BRS	6	Hat or headwear or hat) same ((pivot\$4 with (brim or bill)) same light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
182	BRS	0	Hat or headwear or hat) same ((pivot\$4 adj (brim or bill)) same light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
183	BRS	3	Hat or headwear or hat) same ((pivot\$4 near3 (brim or bill)) same light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
184	BRS	3	("2045802" "4283798" "6113243").PN.	USPAT
185	BRS	0	"6340234".URPN.	USPAT
186	BRS	0	"6340234".URPN.	USPAT
187	BRS	3	("2045802" "4283798" "6113243").PN.	USPAT
188	BRS	0	"6340234".URPN.	USPAT
189	BRS	2	"386509".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
190	BRS	7253	362/103-106,84,184,190,191,800,806,276,234,237,252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
191	BRS	717	2/195.1,195.2,209.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
192	BRS	127	40/570.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
193	BRS	2655	313/318.02,17,25,518,634.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
194	BRS	10696	S190 or S191 or S192 or S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
195	BRS	623167	hat or headwear or cap or helmet or (hard near head)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
196	BRS	2282	S194 and S195	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
197	BRS	18488	7and visor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
198	BRS	371	S196 and visor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
199	BRS	441	S196 and (visor or bill)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
200	BRS	187	S199 and (light or (light near source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
201	BRS	664177	hat or headwear or cap or helmet or (hard near head)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
202	BRS	8820	362/103-106,84,184,190,191,800,806,276,234,237,252,551,554-556.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
203	BRS	730	2/195.1,195.2,209.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
204	BRS	9543	S202 or S203	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
205	BRS	2066	S204 and S201	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
206	BRS	466	S205 and (visor or bill)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
207	BRS	100	S205 and ((visor or bill) with (black light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
208	BRS	3939	((visor or bill) with (black light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
209	BRS	214	S206 and (black light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
210	BRS	527	S205 and (visor or bill or brim)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
211	BRS	127	S205 and ((visor or bill or brim) with (black light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
212	BRS	245	S205 and (visor or bill or brim) and (black light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
213	BRS	7	S205 and (visor or bill or brim) and (black light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
214	BRS	0	(hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) and (black light)).ccls.	US-PGPUB
215	BRS	0	(hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) and (black light)).ccls.	US-PGPUB

216	BRS	0	(hat or headwear or cap or helmet or (hard near head)) and ((visor or bill or brim) with (black light)).ccls.	US-PGPUB
-----	-----	---	---	----------

	Type	Hits	Search Text	DBs
217	BRS	736	362/105,106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
218	BRS	664177	hat or headwear or cap or helmet or (hard near head)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
219	BRS	8820	362/103- 106,84,184,190,191,800,806,276,234,237,252,551,55 4-556.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
220	BRS	730	2/195.1,195.2,209.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
221	BRS	9543	S219 or S220	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
222	BRS	2066	S221 and S218	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
223	BRS	527	S222 and (visor or bill or brim)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
224	BRS	100	362/105,106.ccls. and S223	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
225	BRS	100	362/105,106.ccls. and S223	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB